NUMERICAL STUDIES OF ROUGH SURFACE SCATTERING MODELS

Shira Lynn Broschat
School of Electrical Engineering & Computer Science
Washington State University
P.O. Box 642752
Pullman, WA 99164-2752

Phone: 509-335-5693 Fax: 509-335-3818 E-mail: shira@eecs.wsu.edu Award No.: N00014-97-1-0079 Shallow-Water Acoustics

LONG-TERM GOALS

To understand the effects of the rough air-sea interface and ocean bottom on acoustic propagation.

OBJECTIVES

To develop and study existing approximate theoretical models for rough surface scattering. In particular, to ascertain their applicability and potential usefulness in practical models of acoustic propagation and scattering.

APPROACH

Our primary focus has been on the small slope approximation (SSA) which we have studied for a number of different problems, including acoustic scattering from the air-sea interface and from the ocean bottom. Recently, we have also begun an investigation of the nonlocal SSA (NLSSA) which is an extension of the SSA. Finally, we have been developing a Monte Carlo Finite-Difference Time-Domain (FDTD) technique for scattering from both the rough ocean surface and bottom. This ``exact" technique can be used to benchmark approximate theoretical models for rough surface scattering and to study the effects of surface roughness on a propagating signal.

WORK COMPLETED

The second part of a study of the SSA was published in JASA in May 1997 [1]. It presented a detailed numerical study of the SSA for 2-D, Dirichlet surfaces with Gaussian statistics and a Gaussian roughness spectrum. Our initial study of the NLSSA has included derivation of the lowest-order scattering cross section and calculation of several examples for 2-D, Dirichlet surfaces with Gaussian statistics and a Gaussian roughness spectrum [2],[3]. Development of the FDTD method, done in collaboration with John Schneider, has resulted in an improved absorbing boundary condition for elastic wave problems [4] and Monte Carlo FDTD algorithms for scattering from pressure-release surfaces [5],[6] and from fluid-fluid interfaces [7].

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comment arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 1997 2. REPORT TY		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Numerical Studies of Rough Surface Scattering Models				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Washington State University, School of Electrical Engineering & Computer Science, Pullman, WA, 99164				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distributi	on unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	4	

Report Documentation Page

Form Approved OMB No. 0704-0188

RESULTS

Our study of the SSA indicates that it may be a good replacement for small perturbation theory and the Kirchhoff approximation (KA) in many practical models. While the higher order SSA is too computationally costly, the lowest-order involves the same integral as does the KA; yet it is much more accurate at low forward grazing angles than the KA and no worse than lowest-order perturbation theory in the backscatter region, which does fairly well for power-law type spectra.

It is still too soon to draw conclusions about the NLSSA, but preliminary results are promising. Finally, the Monte Carlo FDTD algorithm results compare well with integral equation results found by Eric Thorsos. Thus, the technique can be extended to problems of greater complexity, beyond the limits of integral equation techniques, with some confidence in the results.

IMPACT/APPLICATIONS

The development of approximate models that accurately predict wave scattering from rough surfaces is important in a number of Navy applications. For example, rough surface scattering models are needed in the simulations used by torpedo guidance and control personnel to test torpedoes. Another application for which rough surface scattering is critical is the detection of underwater mines, especially those buried in soft sediments. Other applications include ship wake detection, communications, and anti-submarine warfare.

TRANSITIONS

Partly as a result of our work, Voronovich was motivated to develop the NLSSA, which introduces nonlocal effects into the same ansatz used to develop the SSA. Also, Darrell Jackson is trying to incorporate the SSA into his high frequency models for penetrable ocean bottoms. Finally, our acoustic animations of wave propagation in a shallow-water waveguide are available via the Web, and videos of these and other animations have been provided to ONR.

RELATED PROJECTS

This research is related to projects in propagation in a shallow-water waveguide such as the work of David Berman and the work of John Schneider, in high-frequency bottom scattering modeling such as the work of Darrell Jackson, in long range propagation, and in rough surface scattering such as the work of Eric Thorsos.

REFERENCES

- [1] Broschat, S.L., and E.I. Thorsos, "An investigation of the small slope approximation for scattering from rough surfaces: Part II---Numerical studies," JASA., May 1997.
- [2] Broschat, S.L., and E.I. Thorsos, "A preliminary numerical study of the non-local small slope approximation," ASA Meeting, Honolulu, HI, Dec. 1996.
- [3] Broschat, S.L., and E.I. Thorsos, ``The non-local small slope approximation for rough surface scattering," PIERS Symposium, Cambridge, MA, Jul. 1997 (invited talk).
- [4] Hastings, F.D., J.B. Schneider, and S.L. Broschat, "Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation," JASA, Nov. 1996.

- [5] Hastings, F.D., J.B. Schneider, and S.L. Broschat, ``A finite-difference time-domain solution to scattering from a rough pressure-release surface," to appear in JASA.
- [6] Hastings, F.D., J.B. Schneider, and S.L. Broschat, ``Scattering from rough pressure-release surfaces using the finite-difference time-domain method," ASA Meeting, Honolulu, HI, Dec. 1996.
- [7] Hastings, F.D., J.B. Schneider, S.L. Broschat, and E.I. Thorsos, `Scattering from rough fluid-fluid interfaces using the finite-difference time-domain method," ASA Meeting, State College, PA, Jun. 1997.